

CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Center for Building Innovation, LLC

6300 Enterprise Lane Madison, WI 53719

Fulfills the requirements of

ISO/IEC 17020:2012

In the field of

INSPECTION

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at www.anab.org.

SPS

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 29 December 2023 Certificate Number: AI-3056





SCOPE OF ACCREDITATION TO ISO/IEC 17020:2012

Center for Building Innovation, LLC 6300 Enterprise Lane

Madison, WI 53719

John Fredrick 608-310-6733 / jfredrick@qualtim.com

INSPECTION TYPE A (THIRD-PARTY) BODY

Valid to: December 29, 2023 Certificate Number: AI-3056

Construction Materials

| Items, Materials OR Products Inspected | Type and Range of Inspection | M | lethods and Procedures |
|---|--|---------------|------------------------|
| Quality Assurance Program | Client Quality Assurance Program Compliance | 4 | QP 7.12, IF 1 |
| Engineered Wood Products | Glue Laminated Beams | 7 | QP 7.12, IF 2 |
| | I-Joists | = | QP 7.12, IF 2 |
| | Structural Composite Lumber | | QP 7.12, IF 2 |
| Trusses | Metal Plate Connected Wood Trusses | | QP 7.12, IF 3 |
| | Heavy Timber Trusses | | QP 7.12, IF 4 |
| Panel Products | Wood | | QP 7.12, IF 5 |
| | Fiberboard | | QP 7.12, IF 5 |
| | Composite | QP 7.12, IF 5 | |
| | Gypsum | QP 7.12, IF 5 | |
| | Foam Plastic Insulative Sheathing | | QP 7.12, IF 5 |
| | Magnesium Oxide | | QP 7.12, IF 5 |






Structures

| Items, Materials OR Products Inspected | Type and Range of Inspection | l. | Methods and Procedures |
|---|---|----|------------------------|
| Structural and Building Envelope Assemblies | Foundation, Floor, Wall and Roof Assemblies | | QP 7.12, IF 6 |
| | Connections | | QP 7.12, IF 6 |
| | Exterior Envelope and Covering | | QP 7.12, IF 6 |

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AI-3056.



R. Douglas Leonard Jr., VP, PILR SBU

